



Main

Range	Spacial
Accessory / separate part category	Mounting accessory
Application	Modular distribution application Multi-purpose
Product or component type	Chassis
Device short name	DLA
For enclosure nominal dimensions	H: -
Mounting location	Front of enclosure
Range compatibility	Spacial CRN Spacial S3D Spacial S3X Thalassa PLM
Device composition	1 chassis structure 4 front panels with 35 mm DIN rail 2 finish cover 1 neutral/earth strip 2 x 16 mm ² 5 x 6 mm ²
Quantity per set	Set of 1

Complementary

Material	Self-extinguishing insulating for front panel Steel for chassis structure and rails
Colour	Front panel : grey RAL 7035
Fixing mode	By fixing element - on front with supports location
Adjustment	In height from 40 to 85 mm for DIN rail
Number of horizontal rows	4
Total number of 18 mm modules	112
Type of front plate	Plain and cut-out plates
Number of cut-out	4 cut-outs
Height	780 mm
Width	560 mm

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1511 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product environmental profile	Available Product Environmental Profile
Product end of life instructions	Need no specific recycling operations